

# Scientific Disagreement & Text Analysis

Philosophy [in:of:for:and] Digital  
Knowledge Infrastructures, 2023-09-28

Charles H. Pence

 @pence@scholar.social

 **UCLouvain**

Institut supérieur de philosophie (ISP)



# Outline

1. Ambiguity and disagreement in biodiversity and taxonomy
2. Empirical analyses: taxonomy corpus
  - 2.1 Corpus construction
  - 2.2 Topic modeling
  - 2.3 Document vectors and stylometry
  - 2.4 Future ideas

**The take-home:** There's a strong sentiment in biology and philosophy that disagreement is a serious problem for conservation: let's test it!

# Biodiversity and Taxonomy





# A Balance

The concept of biodiversity has to be:

- Larger than just single (charismatic) species (to capture ecological relations)
- Smaller than “life itself” (to give us something that it is possible to conserve)

# The Hunt for Indicators

- species richness (with phylogenetic-distance corrections?)
- diversity of traits or characters
- structural diversity of ecological communities
- diversity of ecological niches
- genetic diversity

# Biodiversity and Taxonomy

And any biodiversity studies relying on species inventory will inherit the **rampant uncertainty and disagreement** found in taxonomy!



Part of the vast ornithology collection at the American Museum of Natural History.


## Taxonomy anarchy hampers conservation


The classification of complex organisms is in chaos.  
**Stephen T. Garnett and Les Christidis** propose a solution.




# Empirical Tools


Journal	Publisher	Size
<i>Zootaxa</i>	Magnolia Press	31,348
<i>ZooKeys</i>	Pensoft	4,940
<i>PhytoKeys</i>	Pensoft	820
<i>Journal of Hymenoptera Research</i>	Pensoft	382
<i>MycoKeys</i>	Pensoft	315
<i>Zoosystematics and Evolution</i>	Pensoft	153
<i>Insecta Mundi</i>	Center for Systematic Entomology	1,367
<i>European Journal of Taxonomy</i>	Museum National d'Histoire Naturelle	1,105





## Complete Open Tree of Life





# Topic Modeling

Briefly: a kind of unsupervised dimensionality reduction that you can run on a corpus of text. Take documents, normally locations in a 172M-dimensional space (number of word types), and reduce that to 125-D.

# Interpreting a Topic

## Topic 16: popular in mammals

- 0.027\*”colombia”
- 0.016\*”specie”
- 0.013\*”type”
- 0.013\*”peru”
- 0.010\*”locality”
- 0.010\*”venezuela”
- 0.010\*”ecuador”
- 0.009\*”panama”
- 0.008\*”distribution”
- 0.007\*”brazil”
- 0.007\*”key”
- 0.006\*”rica”
- 0.006\*”del”
- 0.006\*”costa”
- 0.006\*”genus”
- 0.006\*”male”
- 0.006\*”america”
- 0.006\*”san”
- 0.006\*”neotropical”
- 0.005\*”cat”



# Interpreting a Topic

## Topic 16: popular in mammals

- 0.027\*”colombia”
- 0.016\*”specie”
- 0.013\*”type”
- 0.013\*”peru”
- 0.010\*”locality”
- 0.010\*”venezuela”
- 0.010\*”ecuador”
- 0.009\*”panama”
- 0.008\*”distribution”
- 0.007\*”brazil”
- 0.007\*”key”
- 0.006\*”rica”
- 0.006\*”del”
- 0.006\*”costa”
- 0.006\*”genus”
- 0.006\*”male”
- 0.006\*”america”
- 0.006\*”san”
- 0.006\*”neotropical”
- 0.005\*”cat”

**Okay: Central and South American collection sites**

## Topic 31:

- 0.016\*”male”
- 0.016\*”genitalia”
- 0.013\*”specie”
- 0.009\*”female”
- 0.009\*”fig”
- 0.008\*”brown”
- 0.008\*”lepidoptera”
- 0.007\*”scale”
- 0.007\*”long”
- 0.006\*”slide”
- 0.006\*”white”
- 0.006\*”line”
- 0.006\*”new”
- 0.006\*”bursae”
- 0.006\*”short”
- 0.005\*”dark”
- 0.005\*”coll”
- 0.005\*”forewing”
- 0.005\*”holotype”
- 0.005\*”leg”

Cautious hypothesis: Lepidopteran anatomy, especially reproductive

# Interpreting a Topic

But wait.

Our lepidopteran reproductive anatomy topic is unusually significant in one group... **in papers that mention molluscs.**

# Interpreting a Topic

But wait.

Our lepidopteran reproductive anatomy topic is unusually significant in one group... **in papers that mention molluscs.**

...too many bursas!

# Some Cool Topics

## Topic 9: traditional specimen collection terms

- 0.029\*”specie”
- 0.012\*”forest”
- 0.012\*”habitat”
- 0.010\*”area”
- 0.008\*”find”
- 0.007\*”collect”
- 0.007\*”site”
- 0.007\*”study”
- 0.007\*”record”
- 0.006\*”population”
- 0.006\*”range”
- 0.006\*”high”
- 0.005\*”specimen”
- 0.005\*”occur”
- 0.005\*”know”
- 0.004\*”individual”
- 0.004\*”region”
- 0.004\*”number”
- 0.004\*”sample”
- 0.004\*”distribution”

Popular in every taxon **except** non-insect arthropods, fish, and fungi.

# Some Cool Topics

## Topic 64: molecular phylogenetics

- 0.021\*”specie”
- 0.017\*”sequence”
- 0.016\*”analysis”
- 0.011\*”molecular”
- 0.010\*”dna”
- 0.008\*”phylogenetic”
- 0.007\*”tree”
- 0.007\*”clade”
- 0.007\*”gene”
- 0.007\*”specimen”
- 0.007\*”study”
- 0.007\*”morphological”
- 0.006\*”support”
- 0.006\*”group”
- 0.006\*”genetic”
- 0.006\*”coi”
- 0.006\*”datum”
- 0.006\*”base”
- 0.005\*”table”
- 0.005\*”population”

Among the **top-20 most significant probabilities** in reptiles and amphibia, birds, fish, fungi, and mammals; top-5% in every other group

# How about disagreement?

Close reading of a number of papers where we know that taxonomic disagreement is taking place

# How about disagreement?

Example: the “disagreement” list:

- critique
- doubt
- opinion
- disagree
- redundant
- reject
- rebuttal
- debate
- invalid
- misunderstanding
- misconception
- allegation
- allegedly
- mistake
- obsolete
- error
- misclassify
- erroneous
- contentious



# How about disagreement?

In the end, we prepared four lists: terms referring to **epistemic values**, **disagreement**, **pejorative evaluation**, and more general **taxonomic change**

# How about disagreement?

**Ask the topic model:** what topics are likely to select words from our lists of disagreement and related terms?

# How about disagreement?

**Ask the topic model:** what topics are likely to select words from our lists of disagreement and related terms?

- **Disagreement:** Topic 43
- **Epistemic values:** Topic 91
- **Pejorative terms:** Topics 43 and 120

# Topic 43 (disagreement, pejorative)

- 0.015\*”specie”
- 0.011\*”name”
- 0.010\*”description”
- 0.010\*”new”
- 0.008\*”publish”
- 0.007\*”author”
- 0.007\*”nomenclature”
- 0.007\*”code”
- 0.007\*”publication”
- 0.006\*”type”
- 0.006\*”article”
- 0.006\*”zoological”
- 0.006\*”original”
- 0.006\*”synonym”
- 0.006\*”work”
- 0.006\*”list”
- 0.006\*”valid”
- 0.005\*”international”
- 0.005\*”available”
- 0.005\*”note”

The terms you use to **present a new species** and to **discuss whether a species is a synonym**

# Topic 120 (pejorative)

- 0.018\*”character”
- 0.013\*”genera”
- 0.011\*”taxon”
- 0.011\*”group”
- 0.010\*”specie”
- 0.010\*”genus”
- 0.009\*”phylogenetic”
- 0.008\*”include”
- 0.007\*”analysis”
- 0.007\*”family”
- 0.007\*”relationship”
- 0.005\*”phylogeny”
- 0.005\*”clade”
- 0.005\*”morphological”
- 0.005\*”classification”
- 0.005\*”support”
- 0.005\*”press”
- 0.005\*”new”
- 0.005\*”consider”
- 0.004\*”present”

The terms you use to **argue about ranking of a clade**

# Topic 91 (epistemic value)

- 0.038\*”setae”
- 0.022\*”margin”
- 0.021\*”article”
- 0.019\*”long”
- 0.017\*”length”
- 0.013\*”pereopod”
- 0.010\*”fig”
- 0.010\*”seta”
- 0.010\*”simple”
- 0.009\*”propodus”
- 0.009\*”short”
- 0.009\*”male”
- 0.008\*”basis”
- 0.008\*”female”
- 0.008\*”specie”
- 0.008\*”inner”
- 0.008\*”robust”
- 0.007\*”distal”
- 0.007\*”uropod”
- 0.007\*”outer”

...decapod crustaceans? 🤔

# More precision?

It'd be nice to distinguish between more precise uses of the kinds of terms in these topics—e.g., between **describing new species** and **declaring species to be synonyms**

# Document Vector Model


Train a model that represents the words in our corpus using vectors in a 100-dimensional space,<sup>1</sup> and then represent each document as a vector within that same space.<sup>2</sup>

---

<sup>1</sup>technically: a Word2Vec model using hierarchical softmax


<sup>2</sup>technically: a Doc2Vec model, which infers vector representations of documents by sampling a sliding window of words





# Finding disagreement

Then: represent our disagreement terms as vectors within this space, and find the documents that are located “closest” to them!



# Disagreeing about what?

Which taxa are you more likely to discuss in papers that are in the “disagreement” area of the vector space? Extract all species names<sup>3</sup> from the top 5,000 and bottom 5,000 documents, and compare relative risk.

---

<sup>3</sup>technically: using the excellent `gnfinder` package

# Disagreement by taxon

## More disagreement:

Mammals ( $\approx 4$ ), Birds (3), Fungi (3), Fish (2)

## Less disagreement:

Insects ( $\approx 0.5$ )

# Questions?

charles@charlespence.net

<https://pencelab.be>

 @pence@scholar.social



# What to Do?

# Response 1: Fundamentalism

In the biological and biomedical sciences, what we will call the Definitional Consensus Principle has dominated the design of data discovery and integration tools:

**Definitional Consensus Principle (DCP):** The design of a formal classificatory system for expressing a body of data should be grounded in a consensus about the definitions of the entities that are being classified. (Sterner et al. 2020, p. 2)



# Response 1: Fundamentalism

We may, then, start from the observations there made [in the *Poetics*], and the stipulation that language to be good must be clear, as is proved by the fact that speech which fails to convey a plain meaning will fail to do just what speech has to do.  
(*Rhetoric* 1404b1, Aristotle 1984)

# Response 2: Skepticism

Put bluntly, the position that this paper will argue for is that biodiversity is to be (implicitly) defined as what is being conserved by the practice of conservation biology. (Sarkar 2002, p. 132)

# Response 2: Skepticism

Biol Philos  
DOI 10.1007/s10539-014-9426-2

---

**Save the planet: eliminate biodiversity**

**Carlos Santana**

Pub  
bic  
cor  
p.

# Response 3: Values in Science

HPLS (2019) 41:15

<https://doi.org/10.1007/s40656-019-0252-3>



ORIGINAL PAPER

## **Taxonomy and conservation science: interdependent and value-laden**

**Stijn Conix<sup>1</sup>** 

# Response 3: Values in Science

Conservation biology differs from most other biological sciences in one important way: **it is often a crisis discipline.** Its relation to biology, particularly ecology, is analogous to that of surgery to physiology and war to political science. In crisis disciplines, one must act before knowing all the facts; crisis disciplines are thus a mixture of science and art, and their pursuit requires intuition as well as information. (Soulé 1985)

# Response 3: Values in Science

Common response: Ethical value judgments are acceptable in conservation, but should be **kept out of** taxonomy.

But what if taxonomy is **just as value-laden** as conservation biology?

# Response 3: Values in Science

Now in progress: case studies and empirical exploration



ELSEVIER

Contents lists available at [ScienceDirect](#)

Perspectives in Plant Ecology, Evolution and Systematics

journal homepage: [www.elsevier.com/locate/ppees](http://www.elsevier.com/locate/ppees)



Deceiving insects, deceiving taxonomists? Making theoretical sense of taxonomic disagreement in the European orchid genus *Ophrys*

Vincent Cuypers<sup>a,b,\*</sup>, Thomas A.C. Reydon<sup>c,d,2</sup>, Tom Artois<sup>a,3</sup>

<sup>a</sup> Research Group Zoology: Biodiversity and Toxicology, Centre for Environmental Sciences, Hasselt University, Diepenbeek, Belgium  
<sup>b</sup> Centre for Logic and Philosophy of Science, KU Leuven, Leuven, Belgium  
<sup>c</sup> Institute of Philosophy, Leibniz University Hannover, Hannover, Germany  
<sup>d</sup> Centre for Ethics and Law in the Life Sciences (CELLS), Leibniz University Hannover, Hannover, Germany

(go to live graph:)


<https://cpence.codeberg.page/taxonomy-analyses/>





Phylo-Phenetic Species Concept  
Phylogenetic Species Concept  
Genic Species Concept  
Cohesion Species Concept  
Genealogical Concordance Species  
Concept  
Genotypic Cluster Species Concept  
Genetic Species Concept  
Ecological Species Concept  
Recognition Species Concept  
Genealogical Species Concept

Biological Species Concept  
Differential Fitness Species Concept  
Compilospecies Concept  
Cladistic Species Concept  
Hennigian Species Concept  
Internodal Species Concept  
Mitonuclear Compatibility Species  
Concept  
Pragmatic Species Concept  
Inclusive Species Concept  
Biosimilarity Species Concept



# Talking about disagreement

**Other** than disagreement words, what words distinguish the “disagreement” papers from the “non-disagreement” papers?<sup>4</sup>

---

<sup>4</sup>technically: apply the Craig Zeta algorithm to the top-5,000 and bottom-5,000 documents

# Talking about disagreement

## Disagreement:

- appear
- note
- consider
- north
- revision
- probably
- lectotype
- list
- suggest
- range
- synonym
- case
- non
- see
- early
- synonymy
- western
- available
- european
- population

## Non-Disagreement:

- china
- online
- issn
- copyright
- print
- male
- figs
- edition
- holotype
- introduction
- nov
- new
- margin
- lateral
- accept
- dorsal
- eye
- deposit
- length
- head

# Coming Soon

**Geocoding:** how do all these parameters correlate with mentions of geographic locations?